Application Serial No. 10/501,438

Filed: July 13, 2004

A. Bertha

## IN THE CLAIMS:

1.-2. (WITHDRAWN)

3: (CANCELLED)

4. (CURRENTLY AMENDED) A method for obtaining an anti-tumor substance from the colostrum of an even-toe hoofed animal having leucosis, comprising the steps of:

- a) shaking the colostrum with a 1:1 mixture comprising i-propyl alcohol and chloroform of identical volume at room temperature for 8 hours;
- b) centrifuging the material at a speed of at least 5000 rev/min for about 20 minutes in a cooled state;
- c) separating both the upper layer, and the medial crust layer from the material;
- d) diluting the rest of the material with a mixture of chloroform and benzyl alcohol to make up the original volume and shaking the diluted rest of the material for 8 hours;
- e) storing the material at a temperature of +2-4°C;
- f) centrifuging the material from step e) just as in step b) and discarding the organic phase and retaining a diluted upper layer; and
- g) freezing and freeze-drying the <u>diluted</u> upper layer obtained in step [c] <u>f</u>) and <u>freezing</u> and <u>freeze-drying diluting the dried upper medial crust</u> layer <u>obtained in step c</u> and <u>placing at least one of the freeze dried materials</u> in physiological saline solution to a therapeutically effective concentration.

5.-24. (CANCELLED)

25. (CURRENTLY AMENDED) The method of claim 4, further comprising freezing and freeze-drying the medial jelly-like crust layer separated in step 4c) and diluting the crust layer in physiologic saline solution to a therapeutically effective concentration.

Application Serial No. 10/501,438

Filed: July 13, 2004

A. Bertha

26. (CURRENTLY AMENDED) The method of claim 25, <u>further comprising</u> combining wherein the diluted upper layer and the <u>diluted medial</u> crust layer are combined in <u>physiological saline solution to a therapeutically effective concentration</u>.